

NEXA 21.5-INCH LANDSCAPE DIGITAL SIGNAGE

XP-215E2BD ➤


The NEXA 21.5-Inch Landscape Digital Signage (XP-215E2BD) is a digital display solution designed for interactive information presentation in commercial and professional environments. It features a Full HD 1920 × 1080 resolution display, 10-point capacitive touch technology, and an Android 13.0 operating system. Powered by an A527 processor with 2GB RAM and 32GB internal storage, it supports interactive content and digital communication. Built-in Wi-Fi 6, Bluetooth 5.4, dual speakers, and multiple connectivity ports make it suitable for showrooms, exhibitions, offices, retail spaces, and public information areas.



Key Feature of

Nexa Landscape Digital Signage

- ✓ 21.5-Inch Full HD Capacitive Touchscreen Display
- ✓ 10-Point Multi-Touch with Finger and Stylus Support
- ✓ Android 13.0 with A527 Quad-Core Processor
- ✓ 2GB RAM and 32GB Internal Storage
- ✓ Wi-Fi 6 and Bluetooth 5.4 Connectivity




Specifications:

Specification	Details
Brand	NEXA Communication
Product Name	Landscape Digital Signage
Model	XP-215E2BD
Product Category	Capacitive Touch Digital Signage
Display Size	21.5 Inches
Display Orientation	Landscape
Display Resolution	1920 × 1080 Pixels (Full HD)
Display Panel Grade	A+ Grade
Backlight Source	ELED
Brightness (Typical)	≥250 cd/m ²
Contrast Ratio (Typical)	1000:1
Refresh Rate	60Hz
Response Time	8ms
Display Colors	1.07 Billion (10-bit)
Viewing Angle	89°/89°/89°/89°
Pixel Pitch	0.372 × 0.372 mm
Maximum Visual Area	475 × 267 mm
Touch Technology	Capacitive Touch
Touch Points	10-Point Touch
Input Method	Finger and Capacitive Pen
Supported Touch Systems	Windows 10, Windows 8, Windows 7, Windows XP, Android

Chipset	A527
Operating System	Android 13.0
CPU	ARM Cortex-A55
CPU Clock Speed	2.0GHz
GPU	ARM G57 MC01
RAM	2GB
Internal Storage	32GB
Bluetooth Version	5.4
Bluetooth Frequency	2.4GHz
Bluetooth Operating Distance	0–10m
Wi-Fi Standard	802.11ac/b/g/n/a/ax
Wi-Fi Technology	Wi-Fi 6
Wi-Fi Frequency	2.4GHz / 5GHz
Wi-Fi Operating Distance	0–10m (as specified)
HDMI Output	1
USB 2.0	1
USB 3.0	1
RJ45 Input	1
Type-C Port	1
Earphone Interface	1
DC Power Input	12V
Built-in Speakers	2
Speaker Power	2 × 5W
Speaker Impedance	8Ω
Rated Input Voltage	100–240V AC, 50/60Hz
Maximum Power Consumption	55W
Standby Power Consumption	≤1W
Device Dimensions	509.2 × 305.8 × 58 mm
Packaging Dimensions	599 × 120 × 401 mm
Net Weight	5.5kg
Gross Weight	6.2kg
Power Cord	1 Included
Certificate of Conformity / Warranty Card	1 Included
Operating Temperature	0°C to 40°C
Operating Humidity	10%–90% RH
Storage Temperature	–20°C to 60°C
Storage Humidity	10%–90% RH
Operating Altitude	Below 5000m
Installation Configuration	Wall-mounted model according to the supplied specification sheet

21.5寸+底座尺寸



：
一般线性尺寸公差为GB1804-M级

.X	± 0.30		产品名称：	产品名称
----	--------	---	-------	------